

SOLIDWORKS®

SOLIDWORKS Simulation

Dassault Systèmes SolidWorks Corporation
175 Wyman Street
Waltham, MA 02451 U.S.A.

© 1995-2023, Dassault Systemes SolidWorks Corporation, a Dassault Systèmes SE company, 175 Wyman Street, Waltham, Mass. 02451 USA. All Rights Reserved.

The information and the software discussed in this document are subject to change without notice and are not commitments by Dassault Systemes SolidWorks Corporation (DS SolidWorks).

No material may be reproduced or transmitted in any form or by any means, electronically or manually, for any purpose without the express written permission of DS SolidWorks.

The software discussed in this document is furnished under a license and may be used or copied only in accordance with the terms of the license. All warranties given by DS SolidWorks as to the software and documentation are set forth in the license agreement, and nothing stated in, or implied by, this document or its contents shall be considered or deemed a modification or amendment of any terms, including warranties, in the license agreement.

For a full list of the patents, trademarks, and third-party software contained in this release, please go to the Legal Notices in the SOLIDWORKS documentation.

Restricted Rights

This clause applies to all acquisitions of Dassault Systèmes Offerings by or for the United States federal government, or by any prime contractor or subcontractor (at any tier) under any contract, grant, cooperative agreement or other activity with the federal government. The software, documentation and any other technical data provided hereunder is commercial in nature and developed solely at private expense. The Software is delivered as "Commercial Computer Software" as defined in DFARS 252.227-7014 (June 1995) or as a "Commercial Item" as defined in FAR 2.101(a) and as such is provided with only such rights as are provided in Dassault Systèmes standard commercial end user license agreement. Technical data is provided with limited rights only as provided in DFAR 252.227-7015 (Nov. 1995) or FAR 52.227-14 (June 1987), whichever is applicable. The terms and conditions of the Dassault Systèmes standard commercial end user license agreement shall pertain to the United States government's use and disclosure of this software, and shall supersede any conflicting contractual terms and conditions. If the DS standard commercial license fails to meet the United States government's needs or is inconsistent in any respect with United States Federal law, the United States government agrees to return this software, unused, to DS. The following additional statement applies only to acquisitions governed by DFARS Subpart 227.4 (October 1988): "Restricted Rights - use, duplication and disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252-227-7013 (Oct. 1988)."

In the event that you receive a request from any agency of the U.S. Government to provide Software with rights beyond those set forth above, you will notify DS SolidWorks of the scope of the request and DS SolidWorks will have five (5) business days to, in its sole discretion, accept or reject such request. Contractor/ Manufacturer: Dassault Systemes SolidWorks Corporation, 175 Wyman Street, Waltham, Massachusetts 02451 USA.

Contents

Introduction

| | |
|---|----|
| About This Course | 2 |
| Prerequisites | 2 |
| Course Design Philosophy | 2 |
| Using this Book | 2 |
| Laboratory Exercises | 3 |
| About the Training Files..... | 3 |
| Windows® | 3 |
| Conventions Used in this Book | 3 |
| Use of Color | 4 |
| Color Schemes | 4 |
| More SOLIDWORKS Training Resources..... | 5 |
| Local User Groups | 5 |
| What is SOLIDWORKS Simulation?..... | 6 |
| What Is Finite Element Analysis?..... | 7 |
| Build Mathematical Model..... | 8 |
| Defeaturing | 9 |
| Idealization | 9 |
| Clean-up | 9 |
| Build Finite Element Model | 10 |
| Solve Finite Element Model..... | 10 |
| Analyze Results | 10 |
| Errors in FEA | 10 |

- Finite Elements 11
 - Element Types Available in SOLIDWORKS Simulation 11
 - First Order Solid Tetrahedral Elements 12
 - Second Order Solid Tetrahedral Elements 13
 - First Order Triangular Shell Elements 14
 - Second Order Triangular Shell Elements 15
 - Beam Elements 15
 - Choosing Between Solid and Shell Elements. 16
 - Draft vs. High Solid and Shell Elements 16
- Degrees of Freedom 17
- Calculations in FEA 17
- Interpretation of FEA Results 18
 - Principal Stresses: P1, P2, and P3. 19
- Units of Measurement. 20
- Limitations of SOLIDWORKS Simulation 20
 - Linear Material 21
 - Small Structural Deformations 21
 - Static Loads. 22
- Summary. 22

**Lesson 1:
The Analysis Process**

- Objectives 23
- The Analysis Process 24
 - Stages in the Process. 24
- Case Study: Stress in a Plate. 24
 - Project Description 25
 - SOLIDWORKS Simulation Interface 26
- SOLIDWORKS Simulation Options 28
 - Plot Settings 30
- Preprocessing 31
 - New Study. 32
 - Assigning Material Properties 33
 - Fixtures 35
 - Fixture Types 35
 - External Loads 38
 - Size and Color of Symbols 41
 - Preprocessing Summary 42
- Meshing 43
 - Standard Mesh 43
 - Curvature-Based Mesh 43
 - Blended Curvature-Based Mesh 43
 - Mesh Density 44
 - Element Sizes 44
 - Minimum Number of Elements in a Circle 44
 - Ratio 45
 - Mesh Quality. 46

| | |
|--|----|
| Processing | 48 |
| Postprocessing | 48 |
| Result Plots | 48 |
| Modifying Result Plots | 49 |
| Nodal vs. Element Stresses | 50 |
| Show as Tensor Plot Option | 51 |
| Average stresses at mid-nodes | 51 |
| Managing Result Plots | 55 |
| Additional Plot Controls | 56 |
| Other Plots | 60 |
| Multiple Studies | 63 |
| Creating New Studies | 63 |
| Copy Parameters | 63 |
| Check Convergence and Accuracy | 66 |
| Results Summary | 66 |
| Comparison with Analytical Results | 68 |
| Reports | 69 |
| Summary | 71 |
| References | 71 |
| Questions | 71 |
| Exercise 1: Bracket | 72 |
| Exercise 2: Compressive Spring Stiffness | 81 |
| Problem Statement | 81 |
| Exercise 3: Container Handle | 84 |

Lesson 2:

Mesh Controls, Stress Concentrations and Boundary Conditions

| | |
|---|-----|
| Objectives | 85 |
| Mesh Control | 86 |
| Case Study: The L Bracket | 86 |
| Project Description | 86 |
| Stages in the Process | 86 |
| Run This Study | 89 |
| Analysis with Local Mesh Refinement | 90 |
| Mesh Controls | 91 |
| Results | 96 |
| Results Comparison | 96 |
| Stress Singularities | 97 |
| Suppressed Configuration | 100 |
| Case Study: Analysis of Bracket with a Fillet | 100 |
| Result Force | 105 |
| Case Study: Analysis of a Welded Bracket | 107 |
| Understanding the Effect of Boundary Conditions | 108 |
| Conclusion | 109 |

| | |
|-----------------------------------|-----|
| Summary | 109 |
| Questions | 109 |
| Exercise 4: C-bracket | 110 |
| Exercise 5: Bone Wrench | 119 |

Lesson 3:**Assembly Analysis with Interactions**

| | |
|--|-----|
| Objectives | 125 |
| Interaction Analysis | 126 |
| Case Study: Pliers with Global Interaction. | 126 |
| Project Description | 126 |
| Stages in the Process. | 126 |
| Component Interaction | 128 |
| Component Interaction: Options. | 128 |
| Component Interactions: Default Setting | 129 |
| Component Contact: Hierarchy and Conflicts | 129 |
| Study Properties | 131 |
| Viewing Assembly Results. | 134 |
| Strong Enough?. | 135 |
| Contact or Bonded Interaction | 136 |
| Pliers with Local Interaction. | 137 |
| Local Interaction. | 137 |
| Local Interaction Types | 138 |
| Self-Contact | 139 |
| Required Force | 139 |
| Local Interaction Contact Properties | 141 |
| Contact Formulation. | 142 |
| Contact Stresses | 144 |
| Summary. | 145 |
| Questions | 146 |
| Exercise 6: Two Ring Assembly | 147 |

Lesson 4:**Symmetrical and Free Self-Equilibrating Assemblies**

| | |
|---|-----|
| Objectives | 151 |
| Shrink Fit Parts | 152 |
| Case Study: Shrink Fit | 152 |
| Project Description | 152 |
| Symmetry | 152 |
| Stages in the Process. | 152 |
| Defeaturing | 153 |
| Rigid Body Mode | 154 |
| Underconstrained Bodies | 155 |
| Shrink Fit Contact Condition | 156 |
| Plot Results in Local Coordinate System | 159 |
| Cylindrical Coordinate Systems | 159 |
| Saving All Plots | 163 |
| What's Wrong Feature | 163 |

| | |
|--|-----|
| Analysis with Soft Springs | 164 |
| Soft Springs. | 164 |
| Inertial Relief | 165 |
| Collapse Tree Item | 165 |
| Summary. | 167 |
| Exercise 7: Bone Wrench Assembly | 168 |

Lesson 5:

Assembly Analysis with Connectors and Mesh Refinement

| | |
|--|-----|
| Objectives | 173 |
| Case Study: Cardan Joint | 174 |
| Problem Statement | 174 |
| Remote Load/Mass | 175 |
| Load Location. | 176 |
| Reference Coordinate System. | 176 |
| Types of Loads | 176 |
| Connection Type. | 176 |
| Connectors | 178 |
| Connector Types. | 178 |
| Automatic Conversion of Toolbox Fasteners to Bolts | 180 |
| Distributed Coupling. | 181 |
| Bolt Strength Data | 182 |
| Bolt Pre-load. | 182 |
| Bolt Tight fit and Diameter. | 183 |
| Interaction Viewer | 185 |
| Automatically Find Local Interactions | 186 |
| Local Interaction Contact Properties | 188 |
| Pin Connectors | 190 |
| Rotational and Axial Stiffness | 191 |
| Virtual Wall, Axial and Tangential Stiffness | 193 |
| Mesh Control in an Assembly. | 194 |
| Required Number of Solid Elements in Thin Features. | 194 |
| Pin/Bolt Force. | 198 |
| Mesh Plots. | 200 |
| Quality Plot. | 200 |
| Factor of Safety Plot. | 204 |
| Summary. | 207 |
| Exercise 8: Chain Link | 208 |
| Exercise 9: Lift Assembly. | 224 |
| Bearings | 226 |
| Bearing Connectors. | 226 |
| Bearing Fixtures | 226 |
| Bearing Loads. | 226 |
| Exercise 10: Spot Welds-Solid Mesh | 231 |
| Interaction Between Parts. | 235 |
| Exercise 11: Bolt Connectors | 239 |
| Exercise 12: Wood Splitter. | 243 |

Lesson 6:**Bonded Mesh Options**

| | |
|---|-----|
| Objectives | 249 |
| Bonded Mesh Options | 250 |
| Case Study: Rotor | 250 |
| Project Description | 250 |
| Centrifugal Force | 250 |
| Cyclical Symmetry | 252 |
| Bonding Options | 254 |
| Gap Range | 254 |
| Common Nodes | 254 |
| Automatic Switch | 255 |
| Bonding Formulation | 255 |
| Node to Surface | 255 |
| Surface to Surface | 256 |
| Summary | 261 |
| Exercise 13: Vise Grip Pliers | 262 |
| Spring Connector Types | 267 |
| Spring Connector Options | 267 |

Lesson 7:**Analysis of Thin Components**

| | |
|--|-----|
| Objectives | 275 |
| Thin Components | 276 |
| Case Study: Pulley | 276 |
| Project Description | 277 |
| Part 1: Mesh with Solid Elements | 277 |
| Symmetry Fixtures | 278 |
| Part 2: Refined Solid Mesh | 282 |
| Solid vs. Shell | 283 |
| Creating Shell Elements | 284 |
| Part 3: Shell Elements - Mid-plane Surface | 284 |
| Thin vs. Thick Shells | 286 |
| Shell Mesh Colors | 288 |
| Changing Mesh Orientation | 289 |
| Shell Element Alignment | 290 |
| Render shell thickness in 3D | 291 |
| Applying Symmetry Restraints | 293 |

| | |
|---|-----|
| Results Comparison | 297 |
| Computational Effort | 297 |
| Case Study: Joist Hanger | 298 |
| Project Description | 298 |
| Convergence Check Plot. | 305 |
| Summary. | 306 |
| Questions | 307 |
| Exercise 14: Bracket. | 308 |
| Exercise 15: Shell Mesh Using Outer/Inner Faces | 314 |
| Exercise 16: Edge Weld Connector | 318 |
| Exercise 17: Container Handle Weld | 326 |
| Lesson 8: | |
| Mixed Meshing Shells & Solids | |
| Objectives | 327 |
| Mixed Meshing Solids and Shells | 328 |
| Bonding Shells and Solids | 329 |
| Mixed Mesh: Supported Analysis Types | 329 |
| Case Study: Pressure Vessel | 329 |
| Project Description | 330 |
| Analyze the Assembly | 330 |
| Preparing the Model | 332 |
| Material. | 334 |
| Steel Identification Systems | 334 |
| UNS Index | 334 |
| Other Indices. | 335 |
| Bulk and Shear Moduli. | 336 |
| Shell to Shell Bonding | 337 |
| Shell to Solid Bonded | 338 |
| Failure Diagnostics | 340 |
| Meshing Small Features | 340 |
| Incremental Meshing | 342 |
| Summary. | 347 |
| Questions | 347 |
| Exercise 18: Mixed Mesh Analysis | 348 |
| Simulation Evaluator | 352 |
| Summary. | 353 |

Lesson 9:

Beam Elements- Analysis of a Conveyor Frame

| | |
|--|-----|
| Objectives | 355 |
| Project Description | 356 |
| Element Choices | 356 |
| Beam Elements | 356 |
| Truss Elements | 356 |
| Stages in the Process. | 356 |
| Slenderness Ratio | 358 |
| Section Properties | 358 |
| Connected and Disconnected Joints | 359 |
| Sphere Diameter Defining Beam Joint | 360 |
| Beam Joints: Locations. | 360 |
| Beam Joint Types | 360 |
| Render Beam Profile. | 363 |
| Beam Stress Components | 364 |
| Cross-section 1st and 2nd Directions | 364 |
| Bending Moment and Shear Force Diagrams. | 367 |
| Summary. | 371 |
| Questions | 371 |

Lesson 10:

Mixed Meshing Solids, Beams & Shells

| | |
|--|-----|
| Objectives | 373 |
| Mixed Meshing. | 374 |
| Case Study: Particle Separator | 374 |
| Project Description | 374 |
| Stages in the Process. | 374 |
| Beam Mesh | 377 |
| Beam Imprint | 383 |
| Summary. | 385 |
| Exercise 19: Cabinet. | 386 |
| Exercise 20: Frame Rigidity | 395 |

Lesson 11: Design Study

| | |
|---|-----|
| Objectives | 397 |
| Design Study | 398 |
| Case Study: Suspension Design | 398 |
| Project Description | 398 |
| Stages in the Process | 398 |
| Part 1: Multiple Load Cases | 398 |
| Design Studies | 400 |
| Parameters | 400 |
| Design Study Results | 406 |
| Design Study Options | 407 |
| Part 2: Geometry Modification | 409 |
| Design Study Graph | 412 |
| Summary | 413 |
| Exercise 21: Design Study | 414 |

Lesson 12: Thermal Stress Analysis

| | |
|--|-----|
| Objectives | 421 |
| Thermal Stress Analysis | 422 |
| Case Study: Bimetallic Strip | 422 |
| Project Description | 422 |
| Material Properties | 423 |
| Importing Temperature and Pressure | 429 |
| Saving Model in its Deformed Shape | 436 |
| Summary | 437 |

Lesson 13: Adaptive Meshing

| | |
|---|-----|
| Objectives | 439 |
| Adaptive Meshing | 440 |
| Case Study: Support Bracket | 440 |
| Project Description | 440 |
| Geometry Preparation | 441 |
| h-Adaptivity Study | 444 |
| h-Adaptivity Options | 445 |
| h-Adaptive Plots | 448 |
| Convergence Graph | 448 |
| Review h-adaptive Solution | 449 |
| Strain Energy Error is NOT Stress Error | 450 |
| p-Adaptivity Study | 451 |
| p-Adaptive Solution Method | 451 |
| h vs. p Elements | 453 |
| Method Comparison | 455 |
| h vs. p Elements - Summary | 456 |
| Which Solution Method is Better? | 457 |
| Summary | 457 |

Lesson 14:**Large Displacement Analysis**

| | |
|--|-----|
| Objectives | 459 |
| Small vs. Large Displacement Analysis | 460 |
| Case Study: Clamp | 461 |
| Project Description | 461 |
| Part 1: Small Displacement Linear Analysis | 461 |
| Results Discussion | 464 |
| Contact in Small and Large Displacement Analyses | 464 |
| Part 2: Large Displacement Nonlinear Analysis | 464 |
| Permanent Deformation | 466 |
| SOLIDWORKS Simulation Premium | 466 |
| Summary | 467 |
| Questions | 467 |

Appendix A:**Meshing, Solvers, and Tips & Tricks**

| | |
|--|-----|
| Meshing Strategies | 470 |
| Geometry Preparation | 470 |
| Defeaturing | 471 |
| Idealization | 472 |
| Clean-up | 472 |
| Mesh Quality | 473 |
| Aspect Ratio Check | 473 |
| Jacobian Check | 474 |
| Mesh Controls | 476 |
| Automatic Trials for Solids | 478 |
| Meshing Stages | 478 |
| Failure Diagnostics | 479 |
| Tips for Meshing Parts | 480 |
| Tips for Meshing Assemblies | 480 |
| Tips for Using Shell Elements | 481 |
| Hardware Considerations in Meshing | 482 |
| Solvers in SOLIDWORKS Simulation | 482 |
| Choosing a Solver | 484 |
| FFEPlus | 484 |
| Intel Direct Sparse | 485 |
| Large Problem Direct Sparse | 485 |
| Email Notification Settings | 485 |

Appendix B:**Customer Help and Assistance**

| | |
|--|-----|
| Customer Help and Assistance | 488 |
| Questions | 490 |